

Providing internal finishing solutions since 1970

wondertex

With a heritage dating back 50 years, the brand has grown from a single texturing product to a comprehensive range of drylining, decorative texturing, jointing and coving products. The Wondertex name is now synonymous with products that boast excellent performance and durable results trusted by the trade nationwide.

In July 2025, Wondertex became part of the Semin Group, a French manufacturer of construction materials with over 180 years of expertise. This acquisition strengthens Wondertex by providing access to advanced manufacturing, dedicated R&D, and a wider international network, creating strong opportunities to broaden the possibilities for our customers.

While benefiting from Semin's global leadership position and innovation, Wondertex continues to build on its strong UK heritage, delivering trusted, high-performance solutions to the trade.



SEMIN
In figures...

40%
of sales revenue generated internationally in over **76** countries.

4
million euros annual R&D budget.

900
employees including **400** in France.

2.5
million euros annual ecological transition budget.

12
production sites, including **8** in France and **4** abroad.

1000
pallets dispatched from our production sites each day, sent to our customers all over the world.

EVERY
20 minutes
A truckload of plaster is delivered to one of our production sites. **200,000 tons** of fillers and jointing compounds produced each year in France.

1838
Jean-Baptiste Laurent SEMIN founds the SEMIN plasterworks.

1982
Philippe SEMIN takes over the adhesives and fillers business and develops it.

1998
Second production site opens to serve Southern Europe and North African markets.

2011
SEMIN enters the access panel market in France and Europe.

2017
Caroline SEMIN is appointed MD and the family business continues strongly.

2025
Acquisition of Wondertex to strengthen SEMIN's position in the UK.



Index

Drylining Range	Page 6
Airless Plaster	Page 14
Jointing Tapes	Page 16
Accessories	Page 19
Coving	Page 20
Access Panels	Page 22
Tools	Page 24
DIY & Painters Range	Page 26

For technical and safety datasheets on our product range please visit www.wondertex.co.uk

All information contained within this brochure was correct at time of print

Drylining Range

The Wondertex range of internal finishing solutions is expertly formulated for professional results



Overview

	SKU	Size (kg)	Pallet Quantity	Mixing Ratio	Application Type	Working time	Drying Time	Setting Time	Coverage	Shelf Life
 **Prem filler**	A13790	12.5	60	6L per bag	Hand	60-90 mins	1 day	180 mins	100 linear metres	6 months
 **Prem finish**	A13789	25	40	12L per bag	Hand or Mechanical	180 mins	1-2 days*		150 linear metres**	12 months
 **Prem texture**	A13787	25	40	12L per bag	Hand	180 mins	2-3 days	4-5 hours	30-50m light 20-30m heavy	12 months
 **Prem adhesive**	A13793	12.5	60	6L per bag	Hand	60-90 mins	2-3 days	2-3 hours	up to 100 linear metres	6 months
 **Prem fill & finish**	A13791	7.5	112	4.5L per bag	Hand	60 mins	1 day	120 mins	50-60 linear metres	6 months
	A13792	15	60	9L per bag					100 linear metres	
 **Ready mix lightweight jointing filler and finish**	A13541	20	33		Hand or Mechanical		22-48 hours		250g/m² of board	12 months
 **Ready mix jointing filler and finish**	A13542	7	72		Hand or Mechanical		22-48 hours		500g/m² of board	12 months
	A13543	20	33							
 **2 in 1 Airless Finish/ Skim Spray Plaster**	A13528	10	52		Hand, Roller or Mechanical		6-12 hours		800g to 1.2kg/m² of board	18 months
	A13529	20	33							

*Depending on thickness. **Based on 2 feathered skim coats.

Drywall systems require drylining to prepare the wall surface prior to decorating. It requires filling, taping and finishing the joints between plasterboards.

Our comprehensive range of specially formulated products offer all the cost-effective and time-efficient solutions you will ever need.



Drylining for the professional



SKU: A13790

A plaster based fast setting compound for the bedding and filling of tapes, external metal angles and corner tapes.

- Just mix with water for easy application
- Super fine for a smooth finish
- Fast setting for early sanding
- Effortless sanding
- Minimal shrinkage for no cracks

Mixing Ratio	Working time	Setting time
6L per bag	60 - 90 mins	180 mins





SKU: A13789

Suitable for the finishing of all plasterboard joints. It is specially developed for hand and machine jointing.

- Just mix with water for easy application
- Suitable for hand and machine jointing
- Extended working time – less wastage
- Effortless sanding
- No shrinkage so no cracking

Mixing Ratio	Working time
12L per bag	180 mins



Jointing solutions for the building and decorative trades







7.5KG SKU: A13791
15KG SKU: A13792

A filler and smoother, designed for filling and finishing plasterboard joints and smoothing unwanted textured surfaces.

- Super fine for a smooth finish
- Dries hard for a durable finish
- Effortless sanding
- Minimal shrinkage for no cracks
- Fast setting for early sanding

Mixing Ratio	Working time	Setting time
4.5/9L per bag	60 mins	120 mins





SKU: A13541

A lightweight ready-mixed paste specially formulated for jointing plasterboards in association with tape.

- Yield identical to that of 27.5kg of traditional compound.
- Easy application.
- Excellent gliding and white finish.
- Manual or mechanical application





7KG SKU: A13542
20KG SKU: A13543

A ready-mixed paste specially formulated for jointing plasterboards in association with tape.

- Easy application.
- Excellent gliding and white finish.
- Easy sanding.
- Manual or mechanical application



Airless Plaster





10KG SKU: A13528
20KG SKU: A13529

A versatile filling and skimming plaster with a smooth white finish, that can be applied by hand, on a roller on using mechanical airless spraying machines.

- High filling power.
- Very good slide
- Very good open time.
- Easy to sand



Jointing Tapes



SKU: A13664

A high resistance paper tape that is used to cover joints between plasterboards.

150m single roll | 10x box

- High-performance tape.
- Conventional and quick application.
- Invisible after finishings.
- Optimised perforation.
- Size: 51mm x 150m



SKU: A13665

A high resistance metal corner tape that is used to strengthen plasterboard angles.

30m x 50mm roll | 8 x box

- High-performance tape.
- Strong resistance
- Conventional and quick application.
- Invisible after finishings.
- External corners
- Arches, drop ceilings, splay angles, bay windows etc.
- Size: 50mm x 30m
- 2 x 12mm steel strips
- Superior Steel
- Strongest on the market
- Confidence every time
- Prevents debonding
- Reduces snagging





Accessories



SKU: A13663

- Repairs holes in plasterboard.
- Convenient size.
- Self-adhesive, no tools required.

A self-adhesive reinforced fibre glass mesh patch for patch repairs to walls and ceilings.

15cm | 50 x box

- Metal reinforced for extra strength.
- Finish with a Wondertex filler.
- Sold in boxes of 50pcs



Drywall Screws

25mm, 35mm, 45mm

1000 x box, 50 x strip

Boxes
25mm SKU: A13657
35mm SKU: A13660
45mm SKU: A13662

Collated
25mm SKU: A13658
35mm SKU: A13659
45mm SKU: A13661

- Available in 25mm, 35mm and 45mm lengths.

- Loose (1000pcs per box) or Collated (50pcs per strip).
- Phosphate Steel Screws - Pro Quality.
- Auto drill head trumpet tip nail.
- Average consumption: 14pcs per m^2.




Mixing Bucket

SKU: A14012

- Reusable bucket.
- Litre scale for accurate dosage.
- Round shape, stackable.
- Perfect height for hand pumps.

Coving



Wondertex prem mitre

Simple device for cutting coving.

- Designed for the concave surface of coving
- Eliminates guesswork and makes cutting easy
- Sits on the inside gripping the coving
- Suitable for all concaved coving up to 127mm
- Creates a seamless finish between coving joints
- Metal
- Over 1,000,000 sold





SKU: A13793

Suitable for fixing all gypsum and fibrous mouldings including cove and cornice systems.

- Just mix with water for easy installation
- High grab and strong adhesion
- Dries white for easy over painting
- Excellent coverage, up to 100 linear metres

Mixing Ratio	Working time	Setting time
6L per bag	60-90 mins	2-3 hours





SKU: A13787

A decorative finish that can be applied to ceilings or walls to create or remove a variety of textured patterns.

- Just mix with water for easy application
- Super fine for a smooth finish
- Fast setting for early sanding
- Effortless sanding
- Minimal shrinkage for no cracks

Mixing Ratio	Working time	Setting time
12L per bag	180 mins	4-5 hours




Access Panels

Our comprehensive range of access panels, including standard as well as made-to-measure sizes.

Various locking or closing mechanisms available.

Fire Rated Access Panel




- **Tested in accordance with CSTB standards**
- **High acoustic performance**
- **Fitted in complete safety**
- **Made to measure: Size, direction of opening etc.**

30MN Fire Rated Ceiling Access Panel

- Available in 25mm (2 x 12.5mm panels) or 18mm (1 x 18mm panel)
- ET 30 certified

60MN Fire Rated Ceiling Access Panel

- Available in 36mm (2 x 18mm panels) or 30mm (2 x 15mm panel)
- ET 60 certified



Aluminium Frame Access Panel for Moisture resistant plasterboards

- Specially designed for damp rooms
- Hidden latches
- Safety catch on both sides



Tiling Access Panel & Magnetic Kit

- Easy to install
- Invisible
- Easy to open



White Lacquered Access Panel

- Thermal acoustic improvement 29.8 db
- Special for HVAC and noisy technical ducts
- Integrated insulation
- Rt 212 air/dust proof



Dust Proof/Airtight Access Panel

- Acoustic improvement 49db
- Invisible hatch
- Can be tiled

SKU's

150 x 150mm: A04220	**500 x 500mm: A03620**
200 x 200mm: A03617	**600 x 600mm: A03621**
300 x 300mm: A03618	**800 x 800mm: A04273**
400 x 400mm: A03619	**1000 x 1000mm: A08233**

Tools

Toolkit
SKU: A14047



Skimming Blades
- For smoothing coatings, jointing tape and plaster
- Ideal for smoothing walls coated with Airless Sprayer.
- Easy to use and can be fitted to a telescopic pole
- 0.3mm stainless steel blade with rounded edges for a smooth finish with no marks or waste
- Available in sizes 15cm, 25cm, 35cm, 45cm, 60cm, 80cm, 100cm

Premium Knife
- Flexible blades and rounded corners
- Strong, one-piece stainless steel design.
- Mirror finish
- Available in 10cm, 15cm, 20cm and 25cm widths



Rubber Drywall Filling Knife
SKU: A10738
- For coating inside corners, angles, curves and hard-to-reach areas.
- Nylong reinforcement
- Extremely lightweight and easy to clean
- Can be used on its own or with a handle



DIY & Painters Range

The Wondertex range for painters and decorators to repair cracks, holes and damage, level surfaces and create smooth finishes ready for painting anywhere.



Overview

	SKU	Box Quantity	Size	Pallet Quantity	Application Type	Drying Time	Coverage	Shelf Life
 **Fibrelastic**	A13531	12 per box	310ml	1200	Hand	Approx 24 hours per 1mm	1.3kg/m²/mm of thickness	12 months
	A13530	16 per box	1kg	320				
 **Quick Dry Filler**	A13544	8 per box	2 x 1kg	192	Hand	Approx 12 hours	1kg/m²/mm of thickness	9 months
 **Multi Purpose Interior Filler**	A13532	12 per box	1kg	360	Hand	Depends on substrate, weather conditions and application thickness	1 to 1.2kg/ m²/mm of thickness	9 months
	A13533	–	5kg	160				
	A13534	–	15kg	60				
 **Masonry Repair Filler**	A13535	12 per pack	1.5kg	480	Hand	12 hours per 1cm thickness	1.3kg/m²/mm of thickness	6 months
	A13533	–	5kg	160				
	A13537	–	15kg	60				
 **Fine Surface Filler**	A13538	16 per box	1.5kg	256	Hand	Approx 12 hours	-	6 months
	A13539	–	10kg	39				
	A13540	–	20kg	33				
 **Ultra Light Quick Filler**	A13545	16 per box	1L	256	Hand	Depends on substrate, weather conditions and application thickness	0.4kg/m² of board	12 months
	A13546	–	5L	72				
 **Exterior Ultra Light Quick Filler**	A13547	16 per box	1L	256	Hand	Depends on substrate, weather conditions and application thickness	0.8kg/m²/mm of thickness	12 months
 **Wood Repair Filler - Powder**	A13548	–	1kg	360	Hand	Depends on substrate, weather conditions and application thickness	-	12 months
 **Wood Repair Filler - Ready Mixed**	A13550	12 per box	300g	540	Hand	Depends on substrate, weather conditions and application thickness	-	12 months
	A13549	12 per box	1kg	256				

The Wondertex range for painters and decorators to handle repairs such as live cracks, holes and tricky surfaces, as well as even out large imperfect areas or finish with a fine, bright white surface ready for painting.



Fillers



A ready-to-use filler paste with a high proportion of resin and glass fibre. Particularly suitable for all types of interior and exterior filling jobs.

Box Quantity
310ML
12 Per Box
1KG
16 Per Box

310ML SKU: A13531
1KG SKU: A13530

- Ideal for filling “live” cracks.
- Ready to use product.
- Accepted substrates include: Plaster, Cellular concrete, Cement render. Roughcast concrete, Masonry, Wood, Plasterboard, Old painted surfaces.





A surface filler used to quickly fill cracks, holes and dents of all sizes without shrinkage or cracking.

SKU: A13544

Box Quantity
8 Per Box

- Minimal shrinkage.
- Excellent glide.
- Extra-fine product.
- Easy sanding.
- Setting time: 30 minutes.






A general-purpose repair filler ideal for many interior and exterior jobs: filling, repair, sealing, finishing.



1.5KG SKU: A13535
5KG SKU: A13536
15KG SKU: A13537

- Highly adhesive, essential on every construction site.
- Excellent adhesion on most substrates.
- Particularly suitable for repairs to degraded concrete.

Box Quantity
1.5KG: 12 per pack



A versatile powder filler for interior use on walls and ceilings. It fills cracks and holes, seals and bonds polystyrene coving and ceiling roses.



1KG SKU: A13532
5KG SKU: A13533
15KG SKU: A13537

- Good glide
- Smooth finish
- Easy sanding
- 4-in-1 filler

Box Quantity
1KG: 12 per box







A ready-mixed filler which is particularly useful for preparing walls and ceilings before painting or the hanging of wall fabrics. Its high resin content gives a low absorbency finish saving on paint consumption.

1.5KG SKU: A13538
10KG SKU: A13539
15KG SKU: A13540

Box Quantity
1.5KG: 16 per box

- Ultra white appearance.
- Totally solvent free.
- Excellent adhesion to sealed substrates.



An ultra-light ready mixed filler for repair of interior walls and ceilings. Shrink free and fast drying, it is ideal for high quality filling jobs and is very easy to use.




1L SKU: A135446
15L SKU: A13545

- Ready for use
- No shrinkage or cracks
- Quick drying
- Ideal for jointing different types of substrates

Box Quantity
1L: 16 per box







A lightweight paste for all repair work on external walls. Non-shrinking and fast drying, it is very easy to use for high-quality filling tasks.



1L SKU: A13547

- Ready for use
- No shrinkage or cracks
- Quick drying
- Ideal for jointing different types of substrates

Box Quantity
1L: 16 per box



A powder filling and repair compound for treating holes and cracks in wood. It can also repair broken corners or reconstitute missing parts.



SKU: A13548

- Little shrinkage
- All wood substrates
- Quick drying
- Good load-bearing capacity
- Easy to sand

Box Quantity
300ml: 12 per box
1kg: 12 per box



A ready-mixed filling and repair compound for treating holes and cracks in wood.

300ML SKU: A13550
1KG SKU: A13549



- Little shrinkage
- All wood substrates
- Very high-quality finish
- Easy to sand

Box Quantity
1kg: 16 per box



Wondertex Ltd
Wilberforce House,
Station Road
London NW4 4QE
United Kingdom

t: +44 (0) 1827 934643
orders@wondertex.co.uk

Registered in England No. 15952518

wondertex.co.uk

Vers: August 2026